

ALUMINUM LADDERS



HUBEI ADTO ALUMINIUM FORMWORK MANUFACTURING CO.,LTD

HEADQUARTER:

F11, F16, F18,MINGCHENG INTL BLDG,CHANGSHA CITY,CHINA

FACTORY ADDRESS:

GROUP 6, YINSHAN VILLAGE, GUANQIAO TOWN, JIAYU COUNTY,
XIANNING CITY, HUBEI PROVINCE, CHINA.

TEL: 86-731-8518 6215

FAX: 86-731-88660576

WEBSITE:www.adtogroup.com / www.adtomall.com

E-mail:info@adtomall.com



SERVICE PROVIDER OF INTEGRATED ENGINEERING MATERIALS
ENGINEERING SUPPLIES ONE-STOP SERVICE



COMPANY INTRODUCTION

ADTO GROUP, founded in 1998, the leading construction material manufacturer in China, after 18 years development, the group now has grown to be a multi-regional building material company owning 4 manufacturing plants and 8 subsidiaries in Hunan, Hubei, Zhejiang and Tianjin.

As one of the biggest branch of ADTO GROUP, HUBEI ADTO ALUMINUM ALLOY PRODUCTS MANUFACTURING CO.,LTD is located in Jiayu County, Hubei Province, With a total investment of 3 billion, covers an area of 2,000,000 square meters, ADTO is wishing to be the world-class aluminum alloy production base , and create output vale of more than 10 billion USD within 5 years.

As a “national hi-tech enterprise”, HUBEI ADTO ALUMINUM ALLOY PRODUCTS MANUFACTURING CO., LTD possesses the top ranked R&D teams to manufacture qualified products. With the brand effect of ADTO, HUBEI ADTO ALUMINUM ALLOY PRODUCTS MANUFACTURING CO., LTD, already certified by ISO9001, and gains good reputation from customers from Southeast countries, Middle East, Europe, America, Africa and Oceanic.

Integrated designing, R&D, manufacturing, testing, logistics and marketing together, ADTO became a “one stop solution supplier for building materials”. To create value for customers is always our pursuit, we hope to build a safe, efficient, harmonious world with each of our client from all over the world.

INDUSTRIAL LADDER

- 02 SINGLE STRAIGHT LADDER
- 03 MULTI-PURPOSE LADDER
- 04 DUAL-PURPOSE LADDER
- 05 MULTI-PURPOSE LADDER-LITTLE GIANT
- 06 EXTENSION LADDER
- 07 ROPE OPERATED EXTENSION LADDER
- 08 FIBERGLASS ROPE OPERATED EXTENSION LADDER
- 09 FIBERGLASS A TYPE LADDER
- 10 FIBERGLASS MULTI PURPOSE LADDER

HOUSEHOLD LADDER

- 11 TELESCOPIC LADDER
- 12 DOUBLE SIDE TELESCOPIC LADDER
- 13 ALUMINIUM STEP STOOL
- 14 WORK PLATFORM
- 15 HOUSEHOLD STEP LADDER
- 16 ALUMINUM D TUBE HOUSEHOLD LADDER
- 17 STEEL STEP STOOL
- 18 A TYPE LADDER
- 19 ALUMINUM LIGHT AI LADDER
- 20 ALUMINUM HEAVY AI LADDER

CONTENTS

SERVICE PROVIDER OF INTEGRATED ENGINEERING MATERIALS
ENGINEERING SUPPLIES ONE-STOP SERVICE

| www.adtogroup.com | www.adtomall.com |

01

ALUMINUM
LADDER

02

ALUMINUM
LADDER

INDUSTRIAL LADDER

● SINGLE STRAIGHT LADDER

EN131



ADTO-SSL SERIES

CERTIFICATES



SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Thickness (mm)	Step distance (cm)	N.W. (KG)	Max. Load (KG)	Package (PCS/ CTN)	Packing Size(cm)
ADTO07LTIL0081	ADTO-SSL200	6	Height:2m Width:0.39m	6063 Aluminum	1.2mm	30	2.95	150	5	210x43x26
ADTO07LTIL0039	ADTO-SSL300	9	Height:3m Width:0.39m	6063 Aluminum	1.2mm	30	4.43	150	5	305x43x26
ADTO07LTIL0082	ADTO-SSL400	12	Height:4m Width:0.39m	6063 Aluminum	1.2mm	30	5.82	150	5	410x43x26
ADTO07LTIL0040	ADTO-SSL500	16	Height:5m Width:0.39m	6063 Aluminum	1.2mm	30	7	150	5	510x43x26
ADTO07LTIL0083	ADTO-SSL600	19	Height:6m Width:0.39m	6063 Aluminum	1.2mm	30	9.8	150	5	610x43x26

CUSTOMIZED DESIGN AND DIMENSIONS ARE WARMLY WELCOMED.

03

ALUMINUM
LADDER

MULTI-PURPOSE LADDER

EN131


**MAX
CAPACITY
150KG**


Accessories for options

ADTO-MAL SERIES

SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step distance (cm)	N.W. (KG)	Max. Load (KG)	Package (PCS/CTN)	Packing Size(cm)
ADTO007LTIL0028	ADTO-MAL4x2	4x2	Extended height:2.27m Folded height:0.64m	6063 Aluminum	27	9.3	150	1	62.4x37.5x26.5
ADTO007LTIL0029	ADTO-MAL4x3	4x3	Extended height:3.35m Folded height:0.91m	6063 Aluminum	27	10.7	150	1	89.4x37.5x26.5
ADTO007LTIL0030	ADTO-MAL4x4	4x4	Extended height:4.43m Folded height:1.18m	6063 Aluminum	27	12.2	150	1	116.4x37.5x26.5
ADTO007LTIL0031	ADTO-MAL4x5	4x5	Extended height:5.51m Folded height:1.45m	6063 Aluminum	27	13.7	150	1	143.4x37.5x26.5
ADTO007LTIL0032	ADTO-MAL4x6	4x6	Extended height:6.59m Folded height:1.72m	6063 Aluminum	27	15.1	150	1	175x37.5x26.5

WE CAN MAKE THE STEP DISTANCE OF 28CM,29CM,30CM ARE AVAILIABLE.
CUSTOMIZED DESIGN AND DIMENSIONS ARE WARMLY WELCOMED.

04

ALUMINUM
LADDER

DUAL-PURPOSE LADDER

EN131


**MAX
CAPACITY
150KG**


ADTO-DUAL SERIES

SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step distance (cm)	N.W. (KG)	Max. Load (KG)	Package (PCS/CTN)	Packing Size(cm)
ADTO07LTIL0001	ADTO-DAL2x5	2x5	Extended height:2.93m Closed height:1.5m	6063 Aluminum	29	6.3	150	2	151x39x29
ADTO07LTIL0002	ADTO-DAL2x6	2x6	Extended height:3.53m Closed height:1.8m	6063 Aluminum	29	7	150	2	181x39x29
ADTO07LTIL0003	ADTO-DAL2x7	2x7	Extended height:4.13m Closed height:2.1m	6063 Aluminum	29	7.8	150	2	211x39x29
ADTO07LTIL0004	ADTO-DAL2x8	2x8	Extended height:4.73m Closed height:2.4m	6063 Aluminum	29	8.6	150	2	241x39x29
ADTO07LTIL0005	ADTO-DAL2x9	2x9	Extended height:5.33m losed height:2.7m	6063 Aluminum	29	9.5	150	2	271x39x29
ADTO07LTIL0006	ADTO-DAL2x10	2x10	Extended height:5.93m Closed height:3.0m	6063 Aluminum	29	10.4	150	2	301x39x29

CUSTOMIZED DESIGN AND DIMENSIONS ARE WARMLY WELCOMED.

05

ALUMINUM
LADDER

● MULTI-PURPOSE LADDER-LITTLE GIANT

EN131


MAX
CAPACITY
150KG


ADTO-LGL SERIES

SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step distance (cm)	N.W. (KG)	Max. Load (KG)	Package (PCS/CTN)	Packing Size (cm)
ADTO07LTHL0039	ADTO-LGL4x3	4x3	Straight height:2.86m A-frame height:1.41m Folded height:0.92m	6063 Aluminum	28	8.2	150	1	194x49x22
ADTO07LTHL0040	ADTO-LGL4x4	4x4	Straight height:3.98m A-frame height:1.94m Folded height:1.2m	6063 Aluminum	28	9.9	150	1	121x51x22
ADTO07LTHL0041	ADTO-LGL4x5	4x5	Straight height:5.1m A-frame height:2.47m Folded height:1.48m	6063 Aluminum	28	11.6	150	1	149x51x22
ADTO07LTHL0042	ADTO-LGL4x6	4x6	Straight height:6.22m A-frame height:3m Folded height:1.76m	6063 Aluminum	28	13.3	150	1	177x60x22

CUSTOMIZED DESIGN AND DIMENSIONS ARE WARMLY WELCOMED.

06

ALUMINUM
LADDER

● EXTENSION LADDER

EN131


MAX
CAPACITY
150KG


ADTO-TSE SERIES


SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step Distance (cm)	N.W. (KG)	Max. Load (KG)	Package (PCS /CTN)	Package Size (cm)
ADTO07LTIL0023	ADTO-TSE2x6	2x6	Extension height:2.91m Folded height:1.75m	6063 Aluminum	29	6.3	150	1	176x47x12
ADTO07LTIL0024	ADTO-TSE2x7	2x7	Extension height:3.49m Folded height:2.04m	6063 Aluminum	29	7.1	150	1	205x47x12
ADTO07LTIL0025	ADTO-TSE2x8	2x8	Extension height:4.07m Folded height:2.33m	6063 Aluminum	29	8	150	1	234x47x12
ADTO07LTIL0026	ADTO-TSE2x9	2x9	Extension height:4.65m Folded height:2.62m	6063 Aluminum	29	8.8	150	1	263x47x12
ADTO07LTIL0027	ADTO-TSE2x10	2x10	Extension height:5.23m Folded height:2.91m	6063 Aluminum	29	9.6	150	1	292x47x12
ADTO07LTIL0028	ADTO-TSE2x11	2x11	Extended height:5.81m Folded height:3.2m	6063 Aluminum	29	10.4	150	1	321x47x12
ADTO07LTIL0029	ADTO-TSE2x12	2x12	Extended height:6.39m Folded height:3.49m	6063 Aluminum	29	11.2	150	1	350x47x12
ADTO07LTIL0030	ADTO-TSE2x13	2x13	Extended height:6.97m Folded height:3.78m	6063 Aluminum	29	12	150	1	379x47x12
ADTO07LTIL0031	ADTO-TSE2x14	2x14	Extended height:7.55m Folded height:4.07m	6063 Aluminum	29	12.8	150	1	408x47x12
ADTO07LTIL0032	ADTO-TSE3x6	3x6	Extended height:4.07m Folded height:1.75m	6063 Aluminum	29	9.6	150	1	176x47x18
ADTO07LTIL0033	ADTO-TSE3x7	3x7	Extended height:4.94m Folded height:2.04m	6063 Aluminum	29	10.8	150	1	205x47x18
ADTO07LTIL0034	ADTO-TSE3x8	3x8	Extended height:5.81m Folded height:2.33m	6063 Aluminum	29	12	150	1	234x47x18
ADTO07LTIL0035	ADTO-TSE3x9	3x9	Extended height:6.68m Folded height:2.62m	6063 Aluminum	29	13.2	150	1	263x47x18
ADTO07LTIL0036	ADTO-TSE3x10	3x10	Extended height:7.55m Folded height:2.91m	6063 Aluminum	29	14.2	150	1	292x47x18
ADTO07LTIL0037	ADTO-TSE3x11	3x11	Extended height:8.42m Folded height:3.2m	6063 Aluminum	29	15.2	150	1	321x47x18
ADTO07LTIL0038	ADTO-TSE3x12	3x12	Extended height:9.29m Folded height:3.49m	6063 Aluminum	29	16.8	150	1	350x47x18

CUSTOMIZED DESIGN AND DIMENSIONS ARE WARMLY WELCOMED.

● ROPE OPERATED EXTENSION LADDER

EN131


 MAX
CAPACITY
150KG


Rope Operated Extension Ladder with "D" shape steps

ADTO-ROE SERIES

SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step distance (cm)	N.W. (KG)	Max. Load (KG)	Package (PCS/ CTN)	Packing Size(cm)
ADTO07LTHL0021	ADTO-ROE2x8	2x8	Extended height:4.4m Closed height:2.9m	6063 Aluminum	30	13.2	150	1	295x45x29
ADTO07LTHL0022	ADTO-ROE2x9	2x9	Extended height:5m Closed height:3.2m	6063 Aluminum	30	14.2	150	1	325x45x29
ADTO07LTHL0023	ADTO-ROE2x10	2x10	Extended height:5.6m Closed height:3.5m	6063 Aluminum	30	15.2	150	1	355x45x29
ADTO07LTHL0024	ADTO-ROE2x11	2x11	Extended height:6.2m Closed height:3.8m	6063 Aluminum	30	16.5	150	1	385x45x29
ADTO07LTIL0008	ADTO-ROE2x12	2x12	Extended height:6.8m Closed height:4.1m	6063 Aluminum	30	17.8	150	1	415x45x29
ADTO07LTIL0009	ADTO-ROE2x13	2x13	Extended height:7.4m Closed height:4.4m	6063 Aluminum	30	19	150	1	445x45x29
ADTO07LTIL0010	ADTO-ROE2x14	2x14	Extended height:8m Closed height:4.7m	6063 Aluminum	30	20.4	150	1	475x45x29
ADTO07LTIL0011	ADTO-ROE2x15	2x15	Extended height:8.6m Closed height:5m	6063 Aluminum	30	21.5	150	1	505x45x29
ADTO07LTIL0012	ADTO-ROE2x16	2x16	Extended height:9.2m Closed height:5.3m	6063 Aluminum	30	22.8	150	1	535x45x29
ADTO07LTIL0013	ADTO-ROE2x17	2x17	Extended height:9.8m Closed height:5.6m	6063 Aluminum	30	23.5	150	1	565x45x29
ADTO07LTIL0014	ADTO-ROE2x18	2x18	Extended height:10.4m Closed height:5.9m	6063 Aluminum	30	24.5	150	1	595x45x29
ADTO07LTHL0026	ADTO-ROE2x19	2x19	Extended height:11m Closed height:6.2m	6063 Aluminum	30	25.5	150	1	625x45x29

CUSTOMIZED DESIGN AND DIMENSIONS ARE WARMLY WELCOMED.

● FIBERGLASS ROPE OPERATED EXTENSION LADDER



ADTO-FEL SERIES

EN131


 MAX
CAPACITY
150KG

SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step distance (cm)	N.W. (KG)	Max. Load (KG)	Package (PCS/ CTN)	Packing Size(cm)
ADTO07LTFB0007	ADTO-FEL2X8	2x8	Extended height:4.8m Folded height:2.78m	Fiberglass & Aluminum	30	14.25	150	1	250x43.5x16.5
ADTO07LTFB0009	ADTO-FEL2X10	2x10	Extended height:6m Folded height:3.35m	Fiberglass & Aluminum	30	16.83	150	1	310x43.5x16.5
ADTO07LTFB0011	ADTO-FEL2X12	2x12	Extended height:7.2m Folded height:3.65m	Fiberglass & Aluminum	30	19.38	150	1	370x43.5x16.5
ADTO07LTFB0013	ADTO-FEL2X14	2x14	Extended height:8.4m Folded height:4.25m	Fiberglass & Aluminum	30	21.93	150	1	430x43.5x16.5
ADTO07LTFB0015	ADTO-FEL2X16	2x16	Extended height:9.6m Folded height:4.65m	Fiberglass & Aluminum	30	24.5	150	1	490x43.5x16.5
ADTO07LTFB0017	ADTO-FEL2X18	2x18	Extended height:10.8m Folded height:5.25m	Fiberglass & Aluminum	30	27.1	150	1	550x43.5x16.5
ADTO07LTFB0037	ADTO-FEL2X20	2x20	Extended height:12m Folded height:5.65m	Fiberglass & Aluminum	30	29.5	150	1	600x43.5x16.5

CUSTOMIZED DESIGN AND DIMENSIONS ARE WARMLY WELCOMED.

FIBERGLASS A TYPE LADDER

ADTO-FSAL SERIES

SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step Distance (cm)	N.W. (KG)	Max. Load (KG)	Package (PCS/CTN)	Package Size (cm)
ADTO07 LTFB0023	ADTO -FSAL4	4	Height:1.2m Steps width:7.7cm Top ladder's width:33cm Bottom width:47cm	Fiberglass & Aluminum	30	5.8	150	2	125×42×34
ADTO07 LTFB0024	ADTO -FSAL5	5	Height:1.5m Steps width:7.7cm Top ladder's width:33cm Bottom width:51cm	Fiberglass & Aluminum	30	7	150	2	155×44×34
ADTO07 LTFB0025	ADTO -FSAL6	6	Height:1.8m Steps width:7.7cm Top ladder's width:33cm Bottom width:55cm	Fiberglass & Aluminum	30	8.3	150	2	185×46×34
ADTO07 LTFB0026	ADTO -FSAL7	7	Height:2.1m Steps width:7.7cm Top ladder's width:33cm Bottom width:59cm	Fiberglass & Aluminum	30	9.6	150	2	215×48×34
ADTO07 LTFB0027	ADTO -FSAL8	8	Height:2.4m Steps width:7.7cm Top ladder's width:33cm Bottom width:63cm	Fiberglass & Aluminum	30	11	150	2	245×50×34
ADTO07 LTFB0028	ADTO -FSAL9	9	Height:2.7m Steps width:7.7cm Top ladder's width:33cm Bottom width:67cm	Fiberglass & Aluminum	30	12.4	150	2	275×52×34
ADTO07 LTFB0029	ADTO -FSAL10	10	Height:3m Steps width:7.7cm Top ladder's width:33cm Bottom width:71cm	Fiberglass & Aluminum	30	13.8	150	2	305×54×34

EN131



ADTO-FDAL SERIES

SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step Distance (cm)	N.W. (KG)	Max. Load (KG)	Package (PCS/CTN)	Package Size (cm)
ADTO07 LTFB0030	ADTO -FDAL2X4	2x4	Height:1.2m Steps width:7.7cm Top ladder's width:36cm Bottom width:44cm	Fiberglass & Aluminum	30	7.6	150	2	123×42×38
ADTO07 LTFB0031	ADTO -FDAL2X5	2x5	Height:1.5m Steps width:7.7cm Top ladder's width:36cm Bottom width:47cm	Fiberglass & Aluminum	30	9.4	150	2	153×43×38
ADTO07 LTFB0032	ADTO -FDAL2X6	2x6	Height:1.8m Steps width:7.7cm Top ladder's width:36cm Bottom width:50cm	Fiberglass & Aluminum	30	11.2	150	2	183×45×38
ADTO07 LTFB0033	ADTO -FDAL2X7	2x7	Height:2.1m Steps width:7.7cm Top ladder's width:36cm Bottom width:53cm	Fiberglass & Aluminum	30	13.2	150	2	213×46×38
ADTO07 LTFB0034	ADTO -FDAL2X8	2x8	Height:2.4m Steps width:7.7cm Top ladder's width:36cm Bottom width:56cm	Fiberglass & Aluminum	30	15	150	2	243×48×38
ADTO07 LTFB0035	ADTO -FDAL2X9	2x9	Height:2.7m Steps width:7.7cm Top ladder's width:36cm Bottom width:59cm	Fiberglass & Aluminum	30	17	150	2	273×49×38
ADTO07 LTFB0036	ADTO -FDAL2X10	2x10	Height:3m Steps width:7.7cm Top ladder's width:36cm Bottom width:62cm	Fiberglass & Aluminum	30	19	150	2	303×51×38

CUSTOMIZED DESIGN AND DIMENSIONS ARE WARMLY WELCOMED.



FIBERGLASS MULTI PURPOSE LADDER

EN131



ADTO-FMAL SERIES

SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step Distance (cm)	N.W. (KG)	Max. Load (KG)	Package (PCS/CTN)	Package Size (cm)
ADTO07L TFB0037	ADTO-FMAL4x2	4x2	Extended height:250cm Folded height:72cm	Fiberglass & Aluminum	28	11	150	1	73×40×29
ADTO07L TFB0038	ADTO-FMAL4x3	4x3	Extended height:370cm Folded height:101cm	Fiberglass & Aluminum	28	13.4	150	1	102×40×29
ADTO07L TFB0039	ADTO-FMAL4x4	4x4	Extended height:470cm Folded height:126cm	Fiberglass & Aluminum	28	15.1	150	1	129×40×29
ADTO07L TFB0040	ADTO-FMAL4x5	4x5	Extended height:580cm Folded height:155cm	Fiberglass & Aluminum	28	16.7	150	1	158×40×29

CUSTOMIZED DESIGN AND DIMENSIONS ARE WARMLY WELCOMED.

HOUSEHOLD LADDER

● TELESCOPIC LADDER



ADTO-TLA SERIES

EN131



SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step Distance (cm)	N.W.(KG)	Max.Load (KG)	Package (PCS/CTN)	Package Size (cm)
ADTO07LTHL0003	ADTO-TLA7	7	Extended height:2m Folded height:0.675m	6063 Aluminum	30	5.1	150	1	146.5x7.9x70
ADTO07LTHL0004	ADTO-TLA9	9	Extended height:2.6m Folded height:0.74m	6063 Aluminum	30	6.9	150	1	47.5x8.0x75.5
ADTO07LTHL0005	ADTO-TLA11	11	Extended height:3.2m Folded height:0.8m	6063 Aluminum	30	8.5	150	1	48.5x9.5x82
ADTO07LTHL0006	ADTO-TLA13	13	Extended height:3.8m Folded height:0.86m	6063 Aluminum	30	10.2	150	1	49.5x10.3x88
ADTO07LTHL0007	ADTO-TLA15	15	Extended height:4.4m Folded height:0.95m	6063 Aluminum	30	12.5	150	1	51x10.5x95

CUSTOMIZED DESIGN AND DIMENSIONS ARE WARMLY WELCOMED.

● DOUBLE SIDE TELESCOPIC LADDER

EN131



ADTO-TLB SERIES

ADTO-TLC SERIES

SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step Distance (cm)	N.W.(KG)	Max.Load (KG)	Package (PCS /CTN)	Package Size (cm)
ADTO07LTHL0008	ADTO-TLB2x5	2x5	Straight height:3.2m "A" type height:1.55m Folded height:0.85m	6063 Aluminum	30	11.7	150	1	84x50x19
ADTO07LTHL0009	ADTO-TLB2x6	2x6	Straight height:3.8m "A" type height:1.84m Folded height:0.88m	6063 Aluminum	30	13.6	150	1	89x50x19
ADTO07LTHL0010	ADTO-TLB2x7	2x7	Straight height:4.4m "A" type height:2.13m Folded height:0.915m	6063 Aluminum	30	15.8	150	1	91x50x19
ADTO07LTHL0011	ADTO-TLB2x8	2x8	Straight height:5m "A" type height:2.42m Folded height:0.93m	6063 Aluminum	30	18.1	150	1	95x52x19
ADTO07LTHL0012	ADTO-TLB2x9	2x9	Straight height:5.6m "A" type height:2.72m Folded height:0.95m	6063 Aluminum	30	20.7	150	1	99x52x20
ADTO07LTHL0045	ADTO-TLC2x7	2x7	Straight height:2m Folded height:0.69m	6063 Aluminum	29.5	10.2	150	1	69x47x13
ADTO07LTHL0046	ADTO-TLC2x9	2x9	Straight height:2.6m Folded height:0.748m	6063 Aluminum	29.5	13.6	150	1	77x52.5x18
ADTO07LTHL0047	ADTO-TLC2x11	2x11	Straight height:3.22m Folded height:0.808m	6063 Aluminum	29.5	18.6	150	1	83x52.5x19
ADTO07LTHL0048	ADTO-TLC2x13	2x13	Straight height:3.8m Folded height:0.875m	6063 Aluminum	29.5	20	150	1	89x52.5x20.5

CUSTOMIZED DESIGN AND DIMENSIONS ARE WARMLY WELCOMED.

13

ALUMINUM
LADDER

ALUMINUM STEP STOOL

EN131


 MAX
CAPACITY
150KG


ADTO-ST SERIES

SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step Distance (cm)	N.W. (KG)	Max. Load (KG)	Package (PCS/CTN)	Package Size (cm)
ADTO07LTHL0032	ADTO-ST2x1	1	Open Height:0.3m Folded height:0.31m	6063 Aluminum	29.5	1.1	150	4	38x34x32
ADTO07LTHL0033	ADTO-ST2x2	2	Open Height:0.54m Folded height:0.55m	6063 Aluminum	29.5	1.7	150	4	56x38x50
ADTO07LTHL0034	ADTO-ST2x3	3	Open Height:0.80m Folded height:0.79m	6063 Aluminum	29.5	2.3	150	4	81.5x40x50
ADTO07LTHL0035	ADTO-ST2x4	4	Open Height:1.04m Folded height:1.05m	6063 Aluminum	29.5	3.2	150	4	107x43x50
ADTO07LTHL0049	ADTO-ST2x5	5	Open Height:1.29m Folded height:1.28m	6063 Aluminum	29.5	4.1	150	4	132.5x44.5x50
ADTO07LTHL0050	ADTO-ST2x6	6	Open Height:1.52m Folded height:1.54m	6063 Aluminum	29.5	5	150	4	158x46.5x50

CUSTOMIZED DESIGN AND DIMENSIONS ARE WARMLY WELCOMED.

14

ALUMINUM
LADDER

WORK PLATFORM

EN131


 MAX
CAPACITY
150KG


ADTO-WP SERIES

SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	N.W. (KG)	Max. Load (KG)	Package (PCS/CTN)	Package Size (cm)
ADTO07LTHL0051	ADTO-WP107-1	1	Open Size:107*41*49.5cm Platform Size:30.5*76cm Aluminum tube :1.0mm thickness	6063 Aluminum	3.9	150	1	81x17x41.5
ADTO07LTHL0052	ADTO-WP107-1.5	1	Open Size:107*41*49.5cm Platform Size:30.5*76cm Aluminum tube :1.5mm thickness	6063 Aluminum	5.2	200	1	81x17x41.5

CUSTOMIZED DESIGN AND DIMENSIONS ARE WARMLY WELCOMED.

● HOUSEHOLD STEP LADDER

EN131



ADTO-HSL SERIES

SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step Distance (cm)	N.W. (KG)	Max. Load (KG)	Package (PCS/ CTN)	Package Size (cm)
ADTO07LTHL0043	ADTO-HSL2	2	Open Size:0.475x0.355x0.9m Folded size:0.355x0.12x0.98m	6063 Aluminum	21	2.16	150	2	101x36x22
ADTO07LTHL0034	ADTO-HSL3	3	Open Size:0.61x0.38x1.135m Folded size:0.38x0.12x1.21m	6063 Aluminum	21	2.77	150	2	123x38x22
ADTO07LTHL0035	ADTO-HSL4	4	Open Size:0.72x0.4x1.35m Folded size:0.4x0.12x1.43m	6063 Aluminum	21	3.28	150	2	144.5x40x22
ADTO07LTHL0036	ADTO-HSL5	5	Open Size:0.86x0.42x1.545m Folded size:0.48x0.12x1.655m	6063 Aluminum	21	3.76	150	2	167x42x22
ADTO07LTHL0037	ADTO-HSL6	6	Open Size:1x0.44x1.78m Folded size:0.44x0.115x1.88m	6063 Aluminum	21	4.28	150	2	189.5x44x22
ADTO07LTHL0038	ADTO-HSL7	7	Open Size:1.13x0.46x1.99m Folded size:0.46x0.12x2.105m	6063 Aluminum	21	4.65	150	2	211.5x46x22
ADTO07LTHL0044	ADTO-HSL8	8	Open Size:1.22x0.48x2.205m Folded size:0.48x0.12x2.335m	6063 Aluminum	21	5.12	150	2	235x48x22

CUSTOMIZED DESIGN AND DIMENSIONS ARE WARMLY WELCOMED.

● ALUMINUM D TUBE HOUSEHOLD LADDER

EN131



ADTO-ADL SERIES

SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step Distance (cm)	N.W. (KG)	Max. Load (KG)	Package (PCS/ CTN)	Package Size (cm)
ADTO07LTHL0058	ADTO-ADL02	2	Opened size:98*38*40cm Closed size:100*43*5.5cm Top platform to ground height:46cm 1.0mm thickness	6063/T5 Aluminium	25cm	2	150	2	100x47x25
ADTO07LTHL0059	ADTO-ADL03	3	Opened size:121*40.5*55cm Closed size:127*47*5.5cm Top platform to ground height:70cm 1.0mm thickness	6063/T5 Aluminium	25cm	2.8	150	2	127x49x25
ADTO07LTHL0060	ADTO-ADL04	4	Opened size:145*43*71cm Closed size:153*50*5.5cm Top platform to ground height:94cm 1.0mm thickness	6063/T5 Aluminium	25cm	3.6	150	2	153x51x25
ADTO07LTHL0061	ADTO-ADL05	5	Opened size:169*45.5*85cm Closed size:178*52.5*5.5cm Top platform to ground height:118cm 1.0mm thickness	6063/T5 Aluminium	25cm	4.45	150	2	178x54x25
ADTO07LTHL0062	ADTO-ADL06	6	Opened size:193*48*99cm Closed size:204*55*5.5cm Top platform to ground height:142cm 1.0mm thickness	6063/T5 Aluminium	25cm	5.1	150	2	204x57x25

EN131



STEEL STEP STOOL



ADTO-ST5 SERIES



SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step Distance (cm)	N.W. (KG)	Max. Load (KG)	Package (PCS/CTN)	Package Size (cm)
ADTO0LTHL0053	ADTO-ST502A	2	Thickness of tube:0.9mm Open Size:510*485*775mm Folding Size:485*135*900mm Step size:380*260mm	Steel	21	4.5	150	4	95*27*47.5
ADTO0LTHL0054	ADTO-ST503A	3	Thickness of tube:0.9mm Open Size:690*490*1050mm Folding Size:490*140*1220mm Step size:380*260mm	Steel	21	6.4	150	4	125*27*47.5
ADTO0LTHL0055	ADTO-ST504A	4	Thickness of tube:0.9mm Open Size:860*490*1270mm Folding Size:490*145*1475mm Step size:380*260mm	Steel	21	8.85	150	4	150*27*47.5
ADTO0LTHL0056	ADTO-ST505A	5	Thickness of tube:0.9mm Open Size:1030*490*1515mm Folding Size:490*155*1725mm Step size:380*260mm	Steel	21	10.7	150	4	174*27*47.5
ADTO0LTHL0057	ADTO-ST506A	6	Thickness of tube:0.9mm Open Size:1200*490*1760mm Folding Size:490*155*1970mm Step size:380*260mm	Steel	21	12.5	150	4	198*27*47.5

CUSTOMIZED DESIGN AND DIMENSIONS ARE WARMLY WELCOMED.

A TYPE LADDER

EN131



ADTO-ATD SERIES



ADTO-ATL SERIES

SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step Distance (cm)	N.W. (KG)	Max. Load (KG)	Package (PCS/CTN)	Package Size (cm)
ADTO07LTHL0025	ADTO-ATL4	2x4	Height:1.2m	6063 Aluminum	30	3.3	150	2	121x42x32
ADTO07LTHL0026	ADTO-ATL5	2x5	Height:1.5m	6063 Aluminum	30	4.2	150	2	151x42x32
ADTO07LTHL0027	ADTO-ATL6	2x6	Height:1.8m	6063 Aluminum	30	5	150	2	181x45x32
ADTO07LTHL0028	ADTO-ATL7	2x7	Height:2.1m	6063 Aluminum	30	5.8	150	2	211x46x32
ADTO07LTHL0029	ADTO-ATL8	2x8	Height:2.4m	6063 Aluminum	30	6.5	150	2	241x48x32
ADTO07LTHL0030	ADTO-ATL9	2x9	Height:2.7m	6063 Aluminum	30	7.3	150	2	271x49x32
ADTO07LTHL0031	ADTO-ATL10	2x10	Height:3m	6063 Aluminum	30	8	150	2	301x51x32
ADTO07LTHL0018	ADTO-ATD4	3+1	Height:1.2m	6063 Aluminum	30	5	150	2	125x42x34
ADTO07LTHL0019	ADTO-ATD5	4+1	Height:1.5m	6063 Aluminum	30	6.2	150	2	155x44x34
ADTO07LTHL0020	ADTO-ATD6	5+1	Height:1.8m	6063 Aluminum	30	7.1	150	2	185x46x34
ADTO07LTHL0021	ADTO-ATD7	6+1	Height:2.1m	6063 Aluminum	30	8.2	150	2	215x48x34
ADTO07LTHL0022	ADTO-ATD8	7+1	Height:2.4m	6063 Aluminum	30	9.5	150	2	245x50x34
ADTO07LTHL0023	ADTO-ATD9	8+1	Height:2.7m	6063 Aluminum	30	10.5	150	2	275x52x34
ADTO07LTHL0024	ADTO-ATD10	9+1	Height:3m	6063 Aluminum	30	11.5	150	2	305x54x34

CUSTOMIZED DESIGN AND DIMENSIONS ARE WARMLY WELCOMED.

ALUMINUM LIGHT AI LADDER

EN131



SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step Distance (cm)	N.W. (KG)	Max. Load (KG)	Package (PCS/ CTN)	Package Size (cm)
ADTO07L THL0063	ADTO- AI4+4	4+4	Extended height:2.4m Closed height:1.2m 1.5mm thickness	6063/T5 Aluminium	30cm	5	150	2	123×42×32
ADTO07L THL0064	ADTO- AI5+5	5+5	Extended height:3m Closed height:1.5m 1.5mm thickness	6063/T5 Aluminium	30cm	6	150	2	153×44×32
ADTO07L THL0065	ADTO- AI6+6	6+6	Extended height:3.6m Closed height:1.8m 1.5mm thickness	6063/T5 Aluminium	30cm	7	150	2	183×45×32
ADTO07L THL0066	ADTO- AI7+7	7+7	Extended height:4.2m Closed height:2.1m 1.5mm thickness	6063/T5 Aluminium	30cm	8.1	150	2	213×47×32
ADTO07L THL0067	ADTO- AI8+8	8+8	Extended height:4.8m Closed height:2.4m 1.5mm thickness	6063/T5 Aluminium	30cm	9.1	150	2	243×48×32
ADTO07L THL0068	ADTO- AI9+9	9+9	Extended height:5.4m Closed height:2.7m 1.5mm thickness	6063/T5 Aluminium	30cm	10	150	2	273×50×32
ADTO07L THL0069	ADTO- AI10+10	10+10	Extended height:6m Closed height:3m 1.5mm thickness	6063/T5 Aluminium	30cm	11	150	2	303×51×32

ALUMINUM HEAVY AI LADDER

EN131



SPECIFICATION

Product code	Item No.	No. of Step	Specification	Material	Step Distance (cm)	N.W. (KG)	Max. Load (KG)	Package (PCS/ CTN)	Package Size (cm)
ADTO07L THL0070	ADTO- AIH4+3	4+3	Extended height:2.09m Closed height:1.2m, 2.0mm thickness	6063/T5 Aluminium	30cm	5.8	150	2	121×44×28.5
ADTO07L THL0071	ADTO- AIH5+4	5+4	Extended height:2.69m Closed height:1.5m 2.0mm thickness	6063/T5 Aluminium	30cm	6.6	150	2	151×45×28.5
ADTO07L THL0072	ADTO- AIH6+5	6+5	Extended height:3.29m Closed height:1.8m 2.0mm thickness	6063/T5 Aluminium	30cm	7.8	150	2	181×47×28.5
ADTO07L THL0073	ADTO- AIH7+6	7+6	Extended height:3.89m Closed height:2.1m 2.0mm thickness	6063/T5 Aluminium	30cm	9	150	2	211×48×28.5
ADTO07L THL0074	ADTO- AIH8+7	8+7	Extended height:4.49m Closed height:2.4m 2.0mm thickness	6063/T5 Aluminium	30cm	10	150	2	241×50×28.5
ADTO07L THL0075	ADTO- AIH9+8	9+8	Extended height:5.09m Closed height:2.7m, 2.0mm thickness	6063/T5 Aluminium	30cm	11.2	150	2	271×51×28.5
ADTO07L THL0076	ADTO- AIH10+9	10+9	Extended height:5.69m Closed height:3m, 2.0mm thickness	6063/T5 Aluminium	30cm	12.2	150	2	301×53×28.5